App. No. 10/039,307 Art Unit: 3766 Page 3 of 9

## IN THE CLAIMS:

<u>Please cancel claims 1-16 and 28-40 without prejudice or disclaimer as to</u> the subject matter thereof.

1.-16. (Canceled)

17. (Currently amended) An apparatus for treating a patient to improve cardiac performance and efficiency of the patient's heart, the apparatus comprising:

at least one electrode adapted to be located in a region associated with nervous tissue in a patient:

means for automatically applying electrical stimulation via the at least one electrode to improve balance of a neuro-endocrinological system of the patient in response to a physiologic signal of the patient; and

means for delivering a pacing therapy to the patient's heart of a type that improves cardiac output, wherein said pacing therapy consists of a cardiac resynchronization therapy.

- 18. (Previously presented) The apparatus of claim 17, wherein the at least one electrode further comprises at least one implanted electrode adapted to be located adjacent a patient's spine.
- 19. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located external to the patient's body.
- 20. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a subcutaneous space of the patient's body.

App. No. 10/039,307 Art Unit: 3766 Page 4 of 9

21. (Original) The apparatus of claim 17, wherein means for applying electrical stimulation further comprises:

means for monitoring one or more predetermined physiologic parameters of the patient: and

means for adjusting the electrical stimulation based on the one or more predetermined physiologic parameters.

- 22. (Original) The apparatus of claim 21, further comprising means for administering a triple chamber cardiac resynchronization therapy; and wherein the means for adjusting the electrical stimulation further comprises means for adjusting the electrical stimulation based on the administered cardiac resynchronization therapy.
- 23. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a region containing a nerve associated with a trunk portion of the body of the patient.
- 24. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a region containing at least one thoracic vertebrae.
- 25. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a region containing at least one thoracic vertebrae in the range of T1-T12.
- 26. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a region containing at least one thoracic nerve bundle.

App. No. 10/039,307 Art Unit: 3766 Page 5 of 9

27. (Previously presented) The apparatus of claim 17, wherein the at least one electrode is adapted to be located in a region containing at least one thoracic nerve bundle in the range of T1-T12.

28.-40. (Canceled)